



ENG 0321
ENG
A. ROSS 98
A. ROSS


TRADE MARK
Thorogood
Since 1892
SHOES

FIRE FOOTWEAR 2016





Thorogood brand occupational footwear has been keeping hard-working Americans safe and comfortable since 1892.

A division of the Weinbrenner Shoe Company,

Thorogood's relentless focus on craftsmanship, innovation, and comfort recognizes the importance of footwear to your livelihood and getting the job done. Our goal is that you never have to worry about your feet.

SEARCH BY STOCK NUMBER

Leather Structural		Station		Rubber Structural	
STOCK NUMBER	PAGE	STOCK NUMBER	PAGE	STOCK NUMBER	PAGE
504-6373	7	804-6034	16	507-6000	9
504-6369	5	804-6190	15	507-6001	9
504-6389	4	804-6191	15	507-6003	9
504-6391	7	804-6193	15	807-6000	9
504-6391M	7	804-6195	15	807-6001	9
804-6369	5	804-6446	18	807-6003	9
804-6373	7	804-6447	17		
804-6389	4	804-6522	16	Shoe In®	
804-6391	7	831-6031	16	STOCK NUMBER	PAGE
804-6391M	7	834-6034	16	161-0555	19
		834-6043	17	161-0777	19
Wildland		834-6044	17	161-0888	19
STOCK NUMBER	PAGE	834-6111	18	161-0999	19
504-6379	11	834-6211	18	161-7771	19
534-6371	13	834-6218	14		
534-6373	13	834-6219	14		
534-6381	13	834-6522	16		
534-6383	10	834-7991	17		
804-6379	11	834-7992	17		
834-6371	13				
834-6373	13				
834-6381	13				
834-6383	10				

WEBSITE ORDERS: DEALERS ONLY
www.weinbrennerusa.com/dealer



EMAIL ORDERS
csd@weinbrennerusa.com



PHONE ORDERS
 800-826-0002



KNOCKDOWN THE FLAMES



- 1 AIR VENTING SYSTEM helps keep feet cooler, drier
- 2 StedAir® WATERPROOF, BREATHABLE membrane
- 3 ANKLE LOCK SYSTEM keeps ankle firmly in place
- 4 PORON® XRD™ ANKLE PROTECTION
- 5 HEEL KICK PLATE for easy doffing
- 6 Moisture-wicking REMOVABLE FOOTBED on reinforced Bi-Fit™ insole platform molds to the shape of your foot
- 7 Thorogood's Exclusive Vibram® FIRE and ICE ATS — ALL-TERRAIN SOLE
- 8 SIDE WALL LUGS allow for better traction on pitched roofs, embankments and inclined surfaces
- 9 Non-metallic COMPOSITE SAFETY TOE

804-6389 · 504-6389

**Structural
CERTIFIED**
NFFA 1971

**Hazmat
CERTIFIED**
NFFA 1992



804-6389 MEN'S 504-6389 WOMEN'S

14" Knockdown Elite Structural Bunker Boot

- » Waterproof, flame/cut/abrasion-resisting leather, rubber toe and heel protection
- » Cement construction
- » StedAir® PTFE waterproof barrier, blood-borne pathogen compliant
- » Dual-density polyurethane removable footbed on flexible Bi-Fit™ insole
- » Steel triple-rib ladder shank
- » Thorogood's exclusive Vibram® Fire & Ice ATS All-Terrain Sole
- » Meets NFFA 1971 & 1992
- » Flexible, non-metallic, puncture-resisting insole
- » Composite safety toe
- » Meets ASTM F2413-11



75 SR WP PR BB EH SF

3M Scotchlite® Reflective Material HI-VIS

STEDAIR® MOISTURE BARRIERS

WATERPROOF + COMP 75 SAFETY TOE X STRUCTURAL & HAZMAT

MEN'S | M 5-16 | W 5-16 | XW 5-16 | WOMEN'S | N 5-10 | M 5-10 | W 5-10





WE'VE GOT FIREFIGHTING

DOWN COLD



Light up the day or night with the **POWER HV**

- 1] **WATERPROOF, FLAME- AND CUT-RESISTING LEATHER UPPER** with abrasion-resisting rubber toe and heel protection.
- 2] **REFLECTIVE, HIGH-VISIBILITY 3M™ SCOTCHLITE™ HI-VIS PIPING** won't darken under exposure to heat.
- 3] **VIBRAM® FIRE AND ICE SLIP-RESISTING SOLE** provides all-weather slip resistance and superior traction in ice and snow, non-marking indoors.
- 4] **NON-METALLIC COMPOSITE SAFETY TOE**

Heat-resisting footwear when the going gets hot and superior slip-resisting performance in adverse winter conditions.

804-6369 · 504-6369

804-6369 MEN'S **504-6369** WOMEN'S

14" Power HV Structural Bunker Boot



- » Waterproof, flame/cut/abrasion-resisting leather, rubber toe and heel protection
- » Goodyear storm welt construction
- » Cambrelle®/Thoro>Tech™ PTFE waterproof barrier, blood-borne pathogen compliant
- » Dual-density polyurethane removable footbed
- » Steel triple-rib ladder shank
- » Vibram® Fire & Ice slip-resisting outsole
- » Meets NFPA 1971
- » Flexible, non-metallic, puncture-resisting insole
- » Composite safety toe
- » Meets ASTM F2413-11

75 SR WP PR BB EH SF

3M Scotchlite® Reflective Material HI-VIS

Thoro>Tech™

WATERPROOF + COMP 75 SAFETY TOE

SOLE 2



MEN'S M 5-16 W 5-16 XW 5-16 WOMEN'S N 5-10 M 5-10 W 5-10



LEATHER BOOT Made in USA*



- 1] HEAT-RESISTING KEVLAR® thread
- 2] AZTEC LINING to wick away moisture for drier, cooler, healthier feet
- 3] StedAir® WATERPROOF BLOOD-BORNE PATHOGEN BARRIER
- 4] Removable contoured CUSHION FOOTBED
- 5] Non-metallic SAFETY TOE
- 6] Scuff-resisting Vibram® RUBBER TOE for 40% better abrasion resistance
- 7] STEEL TRIPLE LADDER SHANK for superior arch support
- 8] Thorogood's® exclusive Vibram® FIRE AND ICE SOLE with CHISELED EDGE LUGS for better ice traction



**Structural
CERTIFIED**
NFPA 1971



804-6373
504-6373

THOROGOOD FIRE BOOT WARRANTY - Leather Footwear

All leather Thorogood NFPA products manufactured by Weinbrenner Shoe Company or its authorized distributors are guaranteed to be free of any manufacturing or material defects for a period of one year from date of purchase. Products considered to be defective should be returned to an authorized distributor at owner's expense for inspection. The product will be either repaired or replaced at the discretion of the manufacturer. Any replacement will be for the same style and size. This warranty covers normal firefighting use only. Weinbrenner Shoe Company or its authorized distributors

cannot assume responsibility for any product failure incurred by misuse, abuse, neglect, or exposure to a substance or environment that degrades the product beyond the NFPA test requirements.

This is a limited warranty. Thorogood makes no other warranties including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. In no event will Weinbrenner Shoe Company be liable for incidental or consequential damages even if it has been advised of the possibility of such damages.

— **YOU MUST ACTIVATE YOUR WARRANTY!** Register your warranty at www.weinbrennerusa.com/warranty or call 1-800-826-0002. —



804-6373 MEN'S
504-6373 WOMEN'S

14" Structural
Bunker Boot

SOLE 3



- » Waterproof, flame/cut/abrasion-resisting leather with scuff-resisting Vibram® rubber toe and heel bumper
- » Goodyear storm welt construction
- » StedAir® PTFE waterproof barrier, blood-borne pathogen compliant
- » Polyurethane removable footbed
- » Steel triple-rib ladder shank
- » Meets NFPA 1971
- » Thorogood's exclusive Vibram® Fire & Ice outsole with chiseled edge lugs
- » Flexible, non-metallic, puncture-resisting insole
- » Oblique composite safety toe
- » Meets ASTM F2413-11
- » Made in USA*



WATERPROOF + COMP 75 SAFETY TOE

MEN'S | M 5-16 | W 5-16 | XW 5-16 | WOMEN'S | N 5-10 | M 5-10 | W 5-10



804-6391 MEN'S
504-6391 WOMEN'S

Structural / Wildland
Boot

SOLE 3



- » Waterproof, flame/cut-resisting leather with scuff-resisting Vibram® rubber toe/heel bumper
- » Goodyear storm welt construction
- » StedAir® PTFE waterproof barrier, blood-borne pathogen compliant
- » Polyurethane removable footbed
- » Steel triple-rib ladder shank
- » Thorogood's exclusive Vibram® Fire & Ice outsole with chiseled edge lugs
- » Meets NFPA 1971 & 1977
- » Flexible, non-metallic, puncture-resisting insole
- » Composite safety toe
- » Meets ASTM F2413-11
- » Made in USA*
- REPLACEMENT ZIPPER: 884-6341



WATERPROOF + COMP 75 SAFETY TOE

MEN'S | M 5-16,17,18 | W 5-16,17,18 | XW 5-16,17,18 | WOMEN'S | N 5-10 | M 5-10 | W 5-10



804-6391M MEN'S
504-6391M WOMEN'S

10" Structural / T.R.I.
+MET Guard / Wildland Boot

SOLE 3



- » Waterproof, flame/cut-resisting leather with scuff-resisting Vibram® rubber toe/heel bumper
- » Goodyear storm welt construction
- » StedAir® PTFE waterproof barrier, blood-borne pathogen compliant
- » Polyurethane removable footbed
- » Steel triple-rib ladder shank
- » Thorogood's exclusive Vibram® Fire & Ice outsole with chiseled edge lugs
- » Meets NFPA 1971, 1951 & 1977
- » I-MET metatarsal protection
- » Flexible, non-metallic, puncture-resisting insole
- » Composite safety toe
- » Meets ASTM F2413-11
- » Made in USA*
- REPLACEMENT ZIPPER: 884-6341



WATERPROOF + COMP 75 SAFETY TOE

MEN'S | M 5-16,17,18 | W 5-16,17,18 | XW 5-16,17,18 | WOMEN'S | N 5-10 | M 5-10 | W 5-10



*Our Made in USA footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components.



HELLFIRE RUBBER BOOT



Superior protection and comfort.

- 1] **CUSHIONED SHIN GUARD**
features rung-gripping texture for stability
- 2] Heat-resisting, vulcanized **REFLECTIVE PATCHES** retain full brightness and reflectivity over time
- 3] **REMOVABLE POLYURETHANE FOOTBED**
provides athletic shoe comfort and thermal protection
- 4] **PUNCTURE-RESISTING PLATE/MIDSOLE**
also blocks heat with 3.5mm felt insulation
- 5] **OVERSIZED STEEL TOE CAP** allows generous layers of insulating materials to reduce conductive heat

Hellfire™ fulfills the demands of field duty and delivers extra measures that can make all the difference in an emergency situation.

All Thorogood NFPA products distributed by Weinbrenner Shoe Company or its authorized distributors are guaranteed to be free of any manufacturing or material defects for a period of one year from date of purchase. Products considered to be defective should be returned to an authorized distributor at owner's expense for inspection. The product will be either repaired or replaced at the discretion of the manufacturer. Any replacement will be for the same style and size. This warranty covers normal firefighting use only. Weinbrenner Shoe Company or its authorized distributors cannot assume responsibility for any product failure incurred by

misuse, abuse, neglect or exposure to a substance or environment that degrades the product beyond the NFPA test requirements.

This is a limited warranty. Thorogood makes no other warranties including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. In no event will Weinbrenner Shoe Company be liable for incidental or consequential damages even if it has been advised of the possibility of such damages.

— YOU MUST ACTIVATE YOUR WARRANTY! —

Register your warranty at www.weinbrennerusa.com/warranty or call 1-800-826-0002.



Structural CERTIFIED
NFFPA 1971

Hazmat CERTIFIED
NFFPA 1992



807-6000 MEN'S
507-6000 WOMEN'S

Rubber Insulated Structural Bunker Boot with Lug Sole



- » Flame/heat-resisting rubber
- » Vulcanized construction
- » Dupont™ Kevlar® yellow knit one piece liner
- » Removable superknit covered polyurethane footbed
- » Stainless steel puncture-resisting bottom plate
- » Steel triple-rib ladder shank
- » Flame/heat-resisting traction lug outsole
- » Meets NFPA 1971 & 1992
- » Blood-borne pathogen compliant
- » Oversized steel toe

75 SR WP PR BB EH SF

✕ STRUCTURAL & HAZMAT

MEN'S M 5-16 W 5-16 XW 5-16 WOMEN'S N 5-10 M 5-10 W 5-10



807-6001 MEN'S
507-6001 WOMEN'S

Rubber Light Insulated Structural Bunker Boot with Calendered Sole



- » Flame/heat-resisting rubber
- » Vulcanized construction
- » Dupont™ Kevlar® yellow knit one piece liner
- » Removable superknit covered polyurethane footbed
- » Flexible, non-metallic, puncture-resisting sole plate
- » Steel triple-rib ladder shank
- » Flame/heat-resisting traction cleat outsole
- » Meets NFPA 1971 & 1992
- » Blood-borne pathogen compliant
- » Oversized steel toe

75 SR WP PR BB EH SF

✕ STRUCTURAL & HAZMAT

MEN'S M 5-16 W 5-16 XW 5-16 WOMEN'S N 5-10 M 5-10 W 5-10



807-6003 MEN'S
507-6003 WOMEN'S

Rubber Insulated Felt Structural Bunker Boot with Lug Sole



- » Flame/heat-resisting rubber
- » Vulcanized construction
- » 3.5mm polyester needed felt with heel reinforcement
- » Removable superknit covered polyurethane footbed
- » Stainless steel, puncture-resisting bottom plate
- » Steel triple-rib ladder shank
- » Flame/heat-resisting white traction lug outsole
- » Meets NFPA 1971 & 1992
- » Blood-borne pathogen compliant
- » Abrasion-resisting rubber T-toe
- » Oversized steel toe


75 SR WP PR BB EH SF

✕ STRUCTURAL & HAZMAT T-TOE

MEN'S M 5-16 W 5-16 XW 5-15,16 WOMEN'S N 5-10 M 5-10 W 5-10



FIRESTALKER ELITE



**First certified
Wildland Hiking Boot
with ATS (All-Terrain Sole)
NFPA 1977**

Combines the performance and comfort of a European hiking boot with the durability of a rugged Wildland boot. Built to withstand the demanding conditions of Wildland firefighting.

- 1] Flame- and cut-resisting leather
- 2] Lock-stitched Kevlar® filament thread & Kevlar® laces
- 3] Moisture-wicking **REMOVABLE FOOTBED** on reinforced Bi-Fit™ insole platform molds to the shape of your foot
- 4] **SIDEWALL LUGS** provide multi-angle grip on uneven surfaces

Exclusive design of our **Vibram® ATS** (All-Terrain Sole) tread provides lateral traction on all terrain, all day long.



834-6383

834-6383 MEN'S **534-6383** WOMEN'S

9" Firestalker Elite Wildland Hiking Boot



- » Flame/cut-resisting leather
- » Cement construction
- » Cambrelle® lining
- » Removable moisture-wicking footbed on flexible Bi-Fit™ insole

- » Steel triple-ribbed logger shank
- » Thorogood's exclusive Vibram® Fire & Ice ATS All-Terrain Sole
- » Meets NFPA 1977
- » Kevlar® filament thread

SR **WF**

MEN'S | M 5-13,14,15 | W 5-13,14,15 | **XW 5-13,14,15** | WOMEN'S | N 5-10 | M 5-10 | W 5-10

SOLE 6





EMERGENCY WITH A

WILD SIDE

Emergency Medical Operations Certified
NFPA 1977 and 1999



STATION
EMS
BRUSH FIRES

- 1 | AIR VENTING SYSTEM helps keep feet cooler, drier
- 2 | FLEXIBLE VIBRAM® FIRE AND ICE SOLE gives durable heat protection while improving traction
- 3 | COMPOSITE SAFETY TOE
- » REMOVABLE POLYURETHANE FOOTBED means all day comfort
- » Thoro-Tech™ PTFE WATERPROOF, BREATHABLE, BLOOD-BORNE PATHOGEN-RESISTING membrane

Not designed for NFPA 1971 structural fire fighting.

804-6379 504-6379

804-6379 MEN'S 504-6379 WOMEN'S

9" Waterproof Power EMS / Wildland Boot



- » Waterproof, flame/cut-resisting leather
- » Goodyear storm welt construction
- » Cambrelle®/Thoro-Tech™ PTFE waterproof barrier, blood-borne pathogen compliant
- » Dual-density polyurethane removable footbed
- » Steel triple-ribbed logger shank
- » Vibram® Fire & Ice slip-resisting outsole
- » Meets NFPA 1977 & 1999
- » Flexible, non-metallic, puncture-resisting material
- » Composite safety toe
- » Meets ASTM F2413-11
- REPLACEMENT ZIPPER:
884-6641 5-10½ · 884-6642 11-15

75 SR WP PR BB EH WF

Thoro-Tech™

WATERPROOF + COMP 75 SAFETY TOE

MEN'S M 5-14,15 W 5-14,15 XW 5-14,15 WOMEN'S N 5-10 M 5-10 W 5-10





FIRE DEVIL WILDLAND BOOT

The Devil's in the Details
Redesigned for better fit and comfort



Fire Devil boots are built with a Vibram® outsole for superior abrasion-, oil-, heat-, chip-, and slip-resistance

- 1 | 30% thicker leather than previous styles
- 2 | Flame- and cut-resisting full grain leather
- 3 | Lock-stitched Kevlar® filament thread & Kevlar® laces
- 4 | Removable moisture-wicking felt footbed
- 5 | Vibram® outsole



**Wildland
CERTIFIED**
NFPA 1977



UL Certified
ISO 9001 Certified
shoe company

834-6381
534-6381

All Thorogood NFPA products distributed by Weinbrenner Shoe Company or its authorized distributors are guaranteed to be free of any manufacturing or material defects for a period of one year from date of purchase. Products considered to be defective should be returned to an authorized distributor at owner's expense for inspection. The product will be either repaired or replaced at the discretion of the manufacturer. Any replacement will be for the same style and size. This warranty covers normal firefighting use only. Weinbrenner Shoe Company or its authorized distributors cannot assume responsibility for any product failure incurred by

misuse, abuse, neglect or exposure to a substance or environment that degrades the product beyond the NFPA test requirements.

This is a limited warranty. Thorogood makes no other warranties including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. In no event will Weinbrenner Shoe Company be liable for incidental or consequential damages even if it has been advised of the possibility of such damages.

— YOU MUST ACTIVATE YOUR WARRANTY! —

Register your warranty at www.weinbrennerusa.com/warranty or call 1-800-826-0002.



FIRE DEVIL



834-6381 MEN'S
534-6381 WOMEN'S
9" Fire Devil



- » Heavy duty 6.5-7 oz. full-grain leather offers improved durability
- » Tough Kevlar® filament thread for improved abrasion resistance
- » Improved ergonomic fit hugs your foot
- » Tip stitching ensures secure sole attachment
- » Removable, moisture-wicking footbed
- » Vibram® outsole
- » Meets NFPA 1977
- » Made in USA*



MEN'S | M 5-13,14,15 | W 5-13,14,15 | XW 5-13,14,15 | WOMEN'S | N 5-10 | M 5-10 | W 5-10



834-6373 MEN'S
534-6373 WOMEN'S
9" Wildland Boot with Removable Zipper



- » Flame/cut-resisting leather, scuff-resisting Shark Skin leather toe and heel counter
- » Goodyear storm welt construction
- » Removable, moisture-wicking footbed
- » Steel triple-ribbed logger shank
- » Thorogood's exclusive Vibram® outsole with chiseled edge lugs
- » Meets NFPA 1977
- » Kevlar® filament thread
- » Lace-in YKK zipper
- » Made in USA*
- **REPLACEMENT ZIPPER: 884-6541**



MEN'S | M 5-13,14,15 | W 5-13,14,15 | XW 7-13,14,15 | WOMEN'S | N 5-10 | M 5-10 | W 5-10



834-6371 MEN'S
534-6371 WOMEN'S
10" Fire Devil Lace-to-Toe



- » Heavy duty 6.5-7 oz. full-grain leather offers improved durability
- » Tough Kevlar® filament thread for improved abrasion resistance
- » Improved ergonomic fit hugs your foot
- » Tip stitching ensures secure sole attachment
- » Removable, moisture-wicking footbed
- » Vibram® outsole
- » Meets NFPA 1977
- » Made in USA*



MEN'S | M 5-13,14,15 | W 5-13,14,15 | XW 7-13,14,15 | WOMEN'S | N 5-10 | M 5-10 | W 5-10

*Our Made in USA footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components.

831-6031

▲ DUAL-GENDER SIZING [SEE CHART]

Poromeric Oxford



SOLE 9



- » Easy-care, high-gloss poromeric
- » Cement construction
- » Removable EVA footbed with polyurethane heel pad
- » Oil/slip-resisting blown rubber outsole

SR

ULTRA LIGHT

▲ MEN'S M 3-12, 13, 14, 15 W 3-12, 13, 14, 15 XW 8-12, 13, 14, 15

804-6522

▲ DUAL-GENDER SIZING [SEE CHART]

Leather Oxford
Composite Safety Toe



SOLE 10



- » Full-grain, soft leather / action leather
- » Cement construction
- » Removable, super comfort polyurethane footbed
- » Super light EVA midsole
- » ASR super slip-resisting rubber outsole

75 NM SR EH

ULTRA LIGHT + COMP 75 SAFETY TOE

▲ MEN'S M 4-12, 13, 14, 15 W 5-12, 13, 14, 15 XW 7-12, 13, 14, 15

834-6522

▲ DUAL-GENDER SIZING [SEE CHART]

Leather Oxford

NM SR

ULTRA LIGHT

▲ MEN'S M 4-12, 13, 14, 15 W 6-12, 13, 14, 15

804-6034

▲ DUAL-GENDER SIZING [SEE CHART]

6" Quick-Release Station Boot
Composite Safety Toe



SOLE 11



- » Full-grain leather
- » Direct injection construction
- » Removable polyurethane footbed
- » Rubber mini-lug outsole
- » Flexible, non-metallic puncture-resisting insole material
- » Composite safety toe
- » EH rated
- » Meets ASTM F2413-11
- » Meets CAL/OSHA Title 8 for foot safety toe protection and puncture resistance

75 NM SR PR EH

+ COMP 75 SAFETY TOE

▲ MEN'S M 4-12, 13, 14 W 6-12, 13, 14 XW 8-12, 13, 14

834-6034

▲ DUAL-GENDER SIZING [SEE CHART]

6" Quick-Release Station Boot



SOLE 11



- » Full-grain leather
- » Direct injection construction
- » Removable polyurethane footbed
- » Rubber mini-lug outsole
- » Flexible, non-metallic puncture-resisting insole material

SR

▲ MEN'S M 7-12, 13, 14 W 8-12, 13, 14

834-6043

▲ DUAL-GENDER SIZING [SEE CHART]

6" Side Zip



SOLE 12



- » Full-grain, super soft leather / action leather / nylon mesh
- » Cement construction
- » Removable super comfort EVA footbed
- » Guardian Ultra Light outsole
- » 100% non-metallic
- » Heavy-duty YKK zipper with Velcro® closure

NM SR

ULTRA LIGHT

▲ MEN'S | M 4-12, 13, 14, 15 | W 6-12, 13, 14, 15

834-6044

▲ DUAL-GENDER SIZING [SEE CHART]

8" Side Zip



SOLE 12



- » Full-grain, super soft leather / action leather / nylon mesh
- » Cement construction
- » Removable super comfort EVA footbed
- » Guardian Ultra Light outsole
- » 100% non-metallic
- » Heavy-duty YKK zipper with Velcro® closure

NM SR

ULTRA LIGHT

▲ MEN'S | M 4-12, 13, 14, 15 | W 6-12, 13, 14, 15

804-6447

6" Tactical Side Zip Waterproof
Composite Safety Toe



SOLE 13



- » Waterproof, full-grain leather
- » Stitchdown construction
- » Thoro>Dri™ waterproof membrane, blood-borne pathogen compliant
- » Removable polyurethane footbed
- » Lightweight, compression-molded EVA with Impact 300 gel heel insert
- » GEN-flex2® dual-density rubber outsole
- » Composite Safety Toe
- » EH rated
- » Meets ASTM F2413-11
- » Heavy-duty YKK zipper with Velcro® closure

75 SR WP BB EH

Thoro>dri™

ULTRA LIGHT WATERPROOF COMP 75 SAFETY TOE

▲ MEN'S | M 7-12, 13, 14 | W 7-12, 13, 14

834-7992

▲ DUAL-GENDER SIZING [SEE CHART]

8" Trooper Side Zip
Waterproof / Insulated



SOLE 13



- » Waterproof, full-grain leather
- » Goodyear storm welt construction
- » Thoro>Dri™ waterproof membrane, blood-borne pathogen compliant
- » Removable polyurethane footbed
- » Lightweight, compression-molded EVA with Impact 300 gel heel insert
- » GEN-flex2® dual-density rubber outsole
- » Heavy-duty YKK zipper with Velcro® closure
- » 200 grams of 3M™ Thinsulate™ insulation

SR WP BB Thinsulate Thoro>dri™

ULTRA LIGHT WATERPROOF INSULATED

▲ MEN'S | M 4-12, 13, 14, 15 | W 7-12, 13, 14, 15

834-7991

▲ DUAL-GENDER SIZING [SEE CHART]

8" Trooper Side Zip Waterproof

SR WP BB Thoro>dri™

ULTRA LIGHT WATERPROOF

▲ MEN'S | M 4-12, 13, 14, 15 | W 7-12, 13, 14, 15



DUAL GENDER SIZING

▲ For Women's size, order Men's size below it on chart. (example: Women's 6, order Men's 4)

WOMEN'S	5	5½	6	6½	7	7½	8	8½	9	9½
MEN'S	3	3½	4	4½	5	5½	6	6½	7	7½

WOMEN'S	10	10½	11	11½	12					
MEN'S	8	8½	9	9½	10	10½	11	11½	12	



834-6111

8" Front Zip Uniform Boot



SOLE 14



889-3004

- » Smooth, high-shine leather / full-grain padded leather quarter
- » Goodyear welt construction
- » Removable Poly-Pillow Footpacer™ footbed

- » Lightweight polyurethane, oil/slip-resisting mini-grid outsole
- » Made in USA*

• **OPTIONAL LACE-IN ZIPPER:** 884-6001



MEN'S | M 6-12, 13, 14 | W 7-12, 13

804-6446

8" Front Zip Station Boot
Oblique Safety Toe



SOLE 15



889-3004



- » Smooth, high-shine leather / full-grain padded leather quarter
- » Goodyear welt construction
- » Removable Poly-Pillow Footpacer™ footbed
- » Oil/heat/slip-resisting Vibram® security heavy-duty lug, non-marking outsole
- » Lace-in, heavy-duty YKK zipper
- » Oblique steel toe
- » EH rated

- » Flexible, non-metallic, puncture-resisting textile insole material
- » Meets ASTM F2413-11
- » Meets CAL/OSHA Title 8 for foot safety toe protection and puncture resistance
- » Made in USA*

• **REPLACEMENT ZIPPER:** 884-6001



MEN'S | M 6-12, 13, 14, 15 | W 8-12, 13, 14

834-6211

SoftStreets™ 10" Wellington
(Non-Safety)



SOLE 16



889-8000



- » Full-grain leather / 1000 denier Cordura® shaft
- » Direct injection construction
- » Removable dual-density polyurethane SHOCK ZONE footbed

- » SoftStreets™ dual-density polyurethane outsole
- » Made in USA*



MEN'S | M 7-12, 13, 14 | W 8-12, 13, 14



*Our Made in USA footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components.



Keep floors clean INDOORS
Keep shoes clean OUTDOORS



ULTRA LIGHT

161-0777

Charcoal Open Toe

- » Lightweight EVA
- » Hands free
- » No left/right
- » Rinse off
- » Two slip-resisting rubber sole pads
- » Fits over most shoes or boots with unique patented design

SOLE 17



EXTRA SMALL

Women's 4-6½

SMALL

Men's 5-8½ | Women's 7-9½

MEDIUM

Men's 9-11 | Women's 10-11½

LARGE

Men's 11½-12 | Women's 12+

EXTRA LARGE

Men's 13+



161-7771
FOREST GREEN
OPEN TOE



ULTRA LIGHT

161-0888

Charcoal Closed Toe (Non-Safety)

- » Lightweight EVA
- » Hands free
- » No left/right
- » Rinse off
- » Two slip-resisting rubber sole pads
- » Fits over most shoes or boots with unique patented design
- » Flex groove design

SOLE 17



SMALL

Men's 5-8½ | Women's 7-9½

MEDIUM

Men's 9-11 | Women's 10-11½

LARGE

Men's 11½-12 | Women's 12+

EXTRA LARGE

Men's 13+

GET A GRIP!

Shoe In® with Ice-Ts (Ice Traction System) protect footwear and reduce slipping.



ULTRA LIGHT

161-0999

Charcoal Closed Toe Safety Toe

- » Steel toe: tested to, but not compliant with ASTM F2413-11
- » Two slip-resisting rubber sole pads
- » Lightweight EVA
- » Hands-free
- » No left/right
- » Rinse off
- » Fits over most shoes or boots for temporary safety toe protection
- » Flex groove design

SOLE 17



SMALL

Men's 5-8½ | Women's 7-9½

MEDIUM

Men's 9-11 | Women's 10-11½

LARGE

Men's 11½-12 | Women's 12+

EXTRA LARGE

Men's 13+



ULTRA LIGHT

161-0555

Charcoal Closed Toe Ice Traction System

- » Kick on over your shoes for traction on ice, snow, and mud
- » Lightweight EVA
- » Hands-free
- » No left/right
- » Rinse off
- » Two slip-resisting rubber sole pads
- » Fits over most shoes or boots with unique patented design
- » Flex groove design

SOLE 18



SMALL

Men's 5-8½ | Women's 7-9½

MEDIUM

Men's 9-11 | Women's 10-11½

LARGE

Men's 11½-12 | Women's 12+

EXTRA LARGE

Men's 13+

Your Shoe In® is made of high quality EVA material for lasting comfort. The shoe you wear with any Shoe In® will determine proper fit. No Shoe In® should be used for climbing or running as this may pose a potential trip hazard. Do not wear Shoe In's while driving. Your Shoe In® cannot prevent all slips and falls. Shoe In® with Ice-Ts (Ice Traction System) should not be worn on non-ice covered surfaces. Shoe In® with Safety Toes is tested to the ASTM F2413-11 Standard but cannot comply with the standard. The ASTM F2413-11 Standard states no overshoe can meet or comply with the standard.

THOROGOOD SOCKWEAR™

COOL
IN THE
SUMMER,
WARM
IN THE
WINTER



888-1005 Combo Crew

- Premium quality yarns provide 4-way cross-stretch.
- Elasticized arch for support and anatomical shape.
- Medium to high density pads relieve pressure and friction.
- Extra padding over toes for added safety.
- "High Bulk" acrylic fibers wick moisture for drier, healthier feet.
- Comfort Collar for non-binding top.
- Smooth knit padding buffers every step.

Content: In Grain Yarns - 100% Color Fast
88% High-Bulk Acrylic, 8% Stretch Nylon, 4% Elastic



AEGIS Microbe Shield™ for Antibacterial Protection
"Controls odor and inhibits Athlete's Foot Fungus on the sock"

888-6003



3-PACK CREW - ALL BLACK
This sock is designed with a Merino wool and Coolmax® cushioned sole for winter wear to help promote increased warmth, wicking and circulation.

Approved by the US Postal Service.

THOROGOOD 3-PACK SOCKWEAR

Thorogood Professional Uniform socks are made with an anatomical understanding of the relationships of your foot to your sock, and your sock to your footwear. We use specific combinations of yarns and knitting techniques to make our socks durable and comfortable while providing superior foot protection.

Thorogood 3-Pack Sockwear with CoolMax®

CoolMax® is a high performance, four channel fiber engineered to move moisture and speed evaporation. It is superior fabric for wicking action, drying time, moisture absorption and transport.

888-1006

3-PACK CREW
All white, with postal stripes



888-1008

3-PACK CREW
All black, with postal stripes



888-1009

3-PACK CREW
All navy, with postal stripes



888-9009

3-PACK MINI CREW
All navy, with postal stripes



888-1007

3-PACK MINI CREW
All white, with postal stripes



SIZES

Sizing for All THOROGOOD SOCKWEAR™

MEN'S SOCK / SHOE SIZES

• S 4½-6½ • M 6½-9½ • L 9½-12½ • XL 13 and up

WOMEN'S SOCK / SHOE SIZES

• S 5-7½ • M 7½-10 • L 10-13

THOROGOOD SOCKWEAR™ IS



Made in USA*

GENUINE THOROGOOD FOOTBEDS



889-6007

Ultimate Shock-Absorption™ Footbed as found in classic oxfords



Made in USA*

MEN'S SIZES ▲

S 7-9
M 9½-11
L 11½-13
XL 14-15



889-6008

SUPER CUSHION Thick Polyurethane Footbed as found in SoftStreets™



Made in USA*

MEN'S SIZES ▲

S 7-9
M 9½-11
L 11½-13, 14

DUAL GENDER SIZING FOR FOOTBEDS

▲ For Women's size, order Men's size below it on chart. (example: Women's 6, order Men's 4)

WOMEN'S	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12							
MEN'S	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	13	14	15



889-8000

The Deuce Two-Density Polyurethane SHOCK ZONE Footbed as found in all The Deuce footwear.

MEN'S SIZES ▲

XS 4-5½
S 6-7½
M 8-9½
L 10-11½
XL 12-13½
XXL 14-15



889-7024

Compression foam footbed

MEN'S SIZES ▲

M 5-6½
L 7-8½
XL 9-11½
XXL 12+

YKK EYE ZIPPERS



584-6002 · 7-Eye Zippers

884-6001 · 8-Eye Zippers

884-6002 · 6-Eye Zippers

884-6241 · 8-Eye Zippers (Fire)

884-6441 · 10-Eye Zippers AND (Fire) 7" Zippers

884-6341

11-Eye Zippers (Fire)

884-6541 · 10-Eye Zippers AND (Fire) 8" Zippers








884-6641






9-Eye Zippers, Size 5-10½ for 804-6379





884-6642

9-Eye Zippers, Size 11-15 for 804-6379

SOLE COMPARISONS

	SOLE 1	SOLE 2	SOLE 3	SOLE 4	SOLE 5	SOLE 6	SOLE 7
							
	VIBRAM® ATS FIRE AND ICE SOLE	VIBRAM® FIRE AND ICE SLIP-RESISTING SOLE	EXCLUSIVE VIBRAM® FIRE AND ICE SOLE WITH CHISELED EDGE LUGS	HELLFIRE™ TRACTION LUG	HELLFIRE™ TRACTION CLEAT (CALENDERED)	EXCLUSIVE VIBRAM® ATS FIRE AND ICE SOLE	VIBRAM® FIRE AND ICE SOLE
Abrasion Resistance	A	A	A	A	A	A	A
Oil Resistance	A	A	A	C	C	A	A
Heat Resistance	A	A	A	A	A	A	A
Chip Resistance	A	A	A	A	A	A	A
Slip Resistance	A	A	A	A	A	A	A

	SOLE 8	SOLE 9	SOLE 10	SOLE 11	SOLE 12	SOLE 13	SOLE 14
							
	Z-TRAC ASR RUBBER/EVA SOLE	OIL- AND SLIP-RESISTING BLOWN RUBBER	A.S.R. SUPER SLIP-RESISTING RUBBER	TPU MINI LUG	GUARDIAN ULTRA LIGHT	THOROGOOD GEN-FLEX2®	OIL-RESISTING MINI-GRID
Abrasion Resistance	A	A	A	A	B	A	A
Oil Resistance	A	A	A	A	A	A	A
Heat Resistance	B	C	C	C	C	C	C
Chip Resistance	B	C	C	C	C	A	C
Slip Resistance	A	A	A	A	A	A	B

	SOLE 15	SOLE 16	SOLE 17	SOLE 18
				
	VIBRAM® SECURITY HEAVY-DUTY	SOFTSTREETS™ DUAL-DENSITY	SHOE IN® EVA WITH SLIP-RESISTING RUBBER PADS	SHOE IN® EVA WITH ICE-Ts: ICE TRACTION CLEATS
Abrasion Resistance	A	A	B	B
Oil Resistance	A	A	A	A
Heat Resistance	A	C	C	C
Chip Resistance	A	C	C	C
Slip Resistance	A	A	A	A

KEY

A = BEST
B = BETTER
C = GOOD

THOROGOOD POINT OF PURCHASE



- 500 Slatwall Shelves
- 501 2' x 4' Union Logo Banner
- 502 2' x 4' Banners
- 503 3' x 5' Floor Mats
- 508 Sock Racks - Floor
- 509 Sock Racks - Counter
- 520 Blank 8½" x 11" Acrylic Slatwall Sign Holders
- 547 Tower Display
- 551 Quik Shine Sponge
- 552 Thorogood Boot Bag
- 554 Mink Oil
- 560 VGS Boot Talker - Short
- 561 VGS Boot Talker - Tall
- 562 ASR Boot Talker - Short
- 563 ASR Boot Talker - Tall
- 564 GEN-flex2 Boot Talker - Short
- 565 GEN-flex2 Boot Talker - Tall
- 566 VGS Sole Ring/Talker
- 568 USA Boot Talker - Short
- 569 USA Boot Talker - Tall



501



502



500



547



503



- 549 Shoe-In Floor Spinner (24 Pair)
- 550 Shoe-In Floor Rack (48 Pair)
- 567 Shoe-In Boot Talker (Shoe-In not included)

549



550



567



561



563



565



569



552



551



554



566



QUALITY IS EARNED

As part of the Weinbrenner family of footwear brands, Thorogood has quietly led the way in craftsmanship, innovation, comfort, and quality control since 1892. That means you're buying boots and shoes that are suited to your needs, durable, and reliable under the harshest conditions.

As an employee-owned company, we are particularly committed to customer satisfaction. Our rigorous quality-assurance practices and testing protocols—from design to service after the sale—are second-to-none in the industry. In that tradition we have implemented a Quality Management System which conforms to International Standard ISO 9001.

RETURNED GOODS POLICY

Thorogood and Weinbrenner Shoe Company stand behind all our products 100% for defects in materials and workmanship. All claims are reviewed by our Quality Control Department (QCD) for evidence of defect as follows:

- Dealer submits Authorization to Return for approval by us
- Dealer submits product for inspection
- Our QCD inspects product and makes determination of defect
- If defective, a replacement or credit is issued based on amount of wear to product

Note: Credit will not be issued for:

- Abused footwear
- Excessive wear
- Lack of legitimate defect in materials or workmanship

For minor defects, the consumer may prefer to be reimbursed for a quick or inexpensive repair. These may include eyelet, hook, D-ring, or rivet replacement, seam stitching, sole or heel reattachment, etc. We will reimburse or credit dealers up to \$15 US for such repairs completed at local shoe repair shop. Simply send a paid receipt to WSC Customer Service for reimbursement or credit.

PRODUCT CHANGE NOTICE

This Thorogood catalog is accurate as of the date of printing. However, in our never ending pursuit of better materials and construction there may be product specification changes made during the year without notice. The Thorogood price list is your official list of stock numbers available.

THOROGOOD®, THORO>DRI™, THOROTECH™, THOROGOOD SOCKWEAR™, POLY-PILLOW FOOTPACER™, THE ULTIMATE®, ULTIMATE SHOCK-ABSORPTION™, I-MET™, HELLFIRE™, and SHOE IN® are registered trademarks of the Weinbrenner Shoe Company, Inc.
 • VIBRAM® and the Yellow Octagonal Label are registered trademark of Vibram S.p.A. of Italy. Quabaug Corporation, North Brookfield, MA, is the North American manufacturer of Vibram soling products under exclusive license.
 • KEVLAR® is a registered trademark of DuPont.
 • 3M THINSULATE™, THINSULATE™ ULTRA AND SCOTCHLITE™, ARE TRADEMARKS OF 3M.
 • PORON® is a registered trademark of Rogers Corporation.
 • DRI-LEX® is a registered trademark of Faytex Corporation.
 • COOLMAX® is a registered trademark of Invista.
 • L-PROTECTION® is a registered trademark of Lenzi Egisto S.p.A.
 • STEDAIR® is a registered trademark of Stedfast

**WEINBRENNER SHOE COMPANY:
ISO 9001 CERTIFIED SINCE 1998**

108 S. Polk Street · Merrill, WI 54452
 1-800-826-0002
 thorogoodshoes.com



**StedAir® PTFE
Waterproof
Barrier,**
blood-borne
pathogen compliant



**Vibram® ATS
(All-Terrain Sole)**
is designed
specifically to
improve footing
in all firefighting
conditions.



**3M Scotchlite™
Reflective
Material**
provides enhanced
visibility in low-light
working conditions.



**Thoro>Tech™
Cambrelle® PTFE
Waterproof
Barrier,**
blood-borne
pathogen compliant



**Thoro>Dri™
Waterproof
Membrane,** blood-
borne pathogen
compliant.

KEY

To make your selection easier, we have included symbols that call your attention to important features built into the shoes throughout this catalog. Tested and certified to meet the rigid standards established by the American Standard Test Method (ASTM), all of our safety footwear meets or exceeds the highest ASTM F2413-11 ratings for impact, compression, and metatarsal (where applicable).



UNION MADE IN THE USA*

*Weinbrenner Shoe Company manufactures our **Made in USA** footwear at its two factories in Wisconsin. Our **Made in USA** footwear is either Berry Compliant (100% Made in the USA with USA components) or Made in the USA with domestic and globally sourced components.

COMP 75 SAFETY TOE

Composite safety toe caps provide the same protection as steel, but are non-metallic, corrosion resistant, transmit less cold and weigh less.

75 IMPACT

Class I/75 footwear retains a .500 inch (1/2 inch) for men's and .468 inch (15/32 inch) for women's or greater clearance after a nominal impact of 75 foot-pounds (101.7J), i.e., a 50 pound weight dropped, reaching 117.9 ± 2.4 inches per second velocity at impact. COMPRESSION: Class C/75 footwear retains a .500 inch (1/2 inch) after compression of 2500 lbs. (11,121 N) or greater. Meets ASTM F2413-11 M I/75/C/75 ratings.

WF WILDLAND FIRE FIGHTING

Meets the requirements of NFPA 1977 Protective Clothing and Equipment for Wildland Fire Fighting, 2011 Edition.

SR SLIP-RESISTING

Footwear meets or exceeds the ASTM F2913-11 SATRA Test Method TM144 (or Mark II) Standard for slip resistance.

WATERPROOF WP

STEDAIR® or SYMPATEX®: Breathable, waterproof lining/barrier capable of resisting blood-borne pathogens. Thoro>Tech™ or Thoro>Dri™: Breathable, waterproof lining/membrane with waterproof taped seams capable of resisting blood-borne pathogens.

PR PUNCTURE-RESISTING

Puncture-resisting through the sole and heel area at a force load of less than 1200N (270 lbf) according to ASTM F 2413-11, Standard Test Method for Foot Protection. Unique textile insole material is flexible and puncture-resisting.

STRUCTURAL & HAZMAT

Complies with NFPA 1971 & 1992

ULTRA LIGHT

ULTRA LIGHT Lightweight materials and construction designed with foot comfort in mind.

BB BLOOD-BORNE PATHOGENS

Thorotech™, Thoro>Dri™, and Stedair™ linings are blood-borne pathogen penetration compliant, for at least one hour when tested according to ASTM F 1671, Standard Test Method for Resistance of Materials used in Protective Clothing.

EH ELECTRIC HAZARD RESISTANT FOOTWEAR

Constructed or manufactured with electric shock-resisting soles and heels capable of withstanding an application of 18,000 volts (root mean square (RMS) value) at 60 Hz for 1 minute with no current flow or leakage current in excess of 1.0 milliamperes under dry conditions. Meets ASTM F2413-11.

XW 5-10

EXTENDED SIZES AND WIDTHS

are indicated by a yellow highlight.

SF STRUCTURAL FIRE FIGHTING

Meets the requirements of NFPA 1971 Standard on Protective Ensemble for Structural Fire Fighting, 2013 Edition and ASTM F2413-11 M I/75/C/75 PR EH rating.

NM NON-METALLIC UPPER

These styles are 100% non-metallic utilizing composite toes and non-metallic hardware (eyelets). These features will help minimize the chance of marking / scratching work surfaces and will not activate security screening devices.

MT METATARSAL

Class ASTM F2413-11 Mt/75 footwear retains a 1.0 inch clearance for men's and .937 inch clearance for women's, after a nominal impact of 75 foot pounds (101.7J), i.e., a 50 lb. weight dropped, reaching 117.9 ± 2.4 inches per second velocity at impact 3.5 inches in from the toe of the footwear (3.375 inches on women's).

I-M I-MET Patented Technology:

A breakthrough in metatarsal protection, exclusively from Thorogood® features the only internal, invisible, Metatarsal Guard that's completely integrated with the safety toe cap.

PC POSTAL CERTIFIED

Footwear bearing the SR/USA label have been manufactured according to USPS 89D and meet sole slip-resistance (ASTM F 489), domestic source end product, water resistance (ASTM D 2099) requirements; and ASTM F2413-11 standards for protective footwear. They are Certified by the US Postal Service and Department of Navy, Navy Clothing, and Textile Research Facility.



THOROGOOD BRAND OCCUPATIONAL FOOTWEAR HAS BEEN KEEPING HARD-WORKING AMERICANS SAFE AND COMFORTABLE SINCE 1892.

A division of the Weinbrenner Shoe Company, Thorogood's relentless focus on craftsmanship, innovation, and comfort recognizes the importance of footwear to your livelihood and getting the job done. Our goal is that you never have to worry about your feet.


WEINBRENNER SHOE COMPANY

108 S. POLK STREET · MERRILL, WISCONSIN 54452
1-800-826-0002
THOROGOODSHOES.COM

ISO 9001 Certified Since 1998
An Employee-Owned Shoe Company




OTHER CATALOGS AVAILABLE



THOROGOOD WORK



THOROGOOD UNIFORM



WOOD N' STREAM



1892